UPS Education
A Psychology Institute

UTSAAH PSYCHOLOGICAL SERVICES
HEALTH – EDUCATION – RESEARCH

Eating disorders



UPS Education
A Psychology Institute

UTSAAH PSYCHOLOGICAL SERVICES
HEALTH – EDUCATION – RESEARCH

Introduction to Eating Disorders

Eating disorders are mental health conditions that involve serious disturbances in eating behavior and concern over body weight or shape. These disorders can lead to severe emotional and physical health problems, primarily affecting adolescents and young adults, particularly females. The three major types of eating disorders are anorexia nervosa, bulimia nervosa, and binge-eating disorder.

UPS Education
A Psychology Institute

UTSAAH PSYCHOLOGICAL SERVICES
HEALTH – EDUCATION – RESEARCH

Anorexia Nervosa

- Anorexia nervosa is characterized by an intense fear of gaining weight and a distorted body image.
- Individuals with this condition severely restrict their food intake, leading to dangerously low body weight.
- Common signs include extreme thinness, an obsession with food and exercise, and potential medical complications such as heart issues, hormonal imbalances, and loss of menstruation in females.

UPS Education
A Psychology Institute

UTSAAH PSYCHOLOGICAL SERVICES
HEALTH – EDUCATION – RESEARCH

Bulimia Nervosa

- Bulimia nervosa involves a cycle of binge eating followed by behaviors to avoid weight gain, such as vomiting, excessive exercise, or the misuse of laxatives.

- While individuals with bulimia often maintain a normal weight, they may binge on large quantities of food in secret.

- The purging behaviors can lead to serious health issues such as tooth decay, esophagus damage, and electrolyte imbalances.

UPS Education
A Psychology Institute

UTSAAH PSYCHOLOGICAL SERVICES
HEALTH – EDUCATION – RESEARCH

Binge-Eating Disorder

- Binge-eating disorder is characterized by episodes of eating large amounts of food without purging or other compensatory behaviors.

- Individuals with this disorder often feel a lack of control over their eating and may experience guilt or shame afterward.

- Unlike bulimia, binge-eating disorder is more likely to lead to obesity and related health problems, such as diabetes and heart disease.

UPS Education
A Psychology Institute

UTSAAH PSYCHOLOGICAL SERVICES
HEALTH – EDUCATION – RESEARCH

Causes and Risk Factors

Eating disorders can result from a combination of genetic, psychological, and environmental factors:

- **Genetics:** A family history increases susceptibility.
- **Psychological factors:** Low self-esteem, anxiety, or perfectionism can contribute.
- **Cultural influences:** Societal pressure for thinness plays a role, especially in estern cultures. Eating disorders are most common in adolescent and young adult females, but they can affect anyone, regardless of gender, age, or background.

UPS Education
A Psychology Institute

UTSAAH PSYCHOLOGICAL SERVICES
HEALTH – EDUCATION – RESEARCH

Health Consequences

Each eating disorder has its own health risks:

- **Anorexia:** Severe malnutrition, organ damage, heart problems, and potentially the highest mortality rate of any psychological disorder.
- **Bulimia:** Dental issues, digestive problems, and dangerous electrolyte imbalances.
- **Binge-eating disorder:** Obesity, diabetes, and cardiovascular disease. Early detection and treatment are crucial for preventing long-term health effects.

UPS Education
A Psychology Institute

UTSAAH PSYCHOLOGICAL SERVICES
HEALTH – EDUCATION – RESEARCH

Treatment and Recovery

consolidated treatment approaches for all three disorders:

- **Anorexia:** Hospitalization, cognitive-behavioral therapy (CBT), and family therapy are standard interventions.

- **Bulimia:** CBT and selective serotonin reuptake inhibitors (SSRIs) are effective, along with self-help strategies.

- **Binge-Eating Disorder:** Psychological counseling and weight management are the typical treatments.

UPS Education
A Psychology Institute

UTSAAH PSYCHOLOGICAL SERVICES
HEALTH – EDUCATION – RESEARCH

Follow us on

@upseducation