

INDEX

832

METHODS OF SAMPLING AND TESTING

	Turbidimeter (T 98)	116	Correction for Coarse Particles (T 224)	474	Preparation of Specimens:	
	Freezing and Thawing Test for:		Compressive Strength:		Capping (T 231)	
	Air-entraining Additions		Bituminous Mixtures (T 167) ...	318	In the Field (T 23)	
	(T 188)	359	Blück (T 32)	34	In the Laboratory (T 126)	
	Normal Consistency (T 129)	215	Cohesive Soil (T 208)	412	Pipe and Pipe Testing (T 280) ..	
322	Sampling (T 127)	207	Concrete:		Sampling (T 141)	
581	Soundness (T 107)	179	Early Age Test Values		Section and Section Testing	
	Specific Gravity (T 133)	224	(T 276)	716	(T 280)	
416	Tensile Strength (T 132)	220	Modified Cube Test (T 140) ..	242	Sewer Pipe (See Concrete Pipe)	
326	Time of Setting:		Molded Specimens (T 22)	11	Splitting Tensile Strength	
	Gilmore Needles (T 154)	269	Projecting Later Age Strengths		(T 198)	
	Vicat Needle (T 131)	217	(T 276)	716	Surface Frictional Properties	
751	Cement Content:		Specimens Taken From		(T 278)	
	Hardened Concrete (T 178)	337	Hardened Concrete (T 24) ..	23	Tile and Tile Testing (T 280) ...	
182	Soil-Cement Mixtures (T 144) ..	247	Fine Aggregate (T 71)	66	Time of Setting (T 197)	
326	Cement-Treated Aggregate (T 211)	427	Hydraulic Cement (T 106)	174	Volume Change (T 160)	
581	Centrifuge Test for Bituminous		Rock Core Specimens (T 226) ..	481	Water For (T 26)	
321	Mixtures (T 164)	302	Soil, Lime Mixtures (T 220)	456	Weight per Cubic Foot (T 121)	
	Chace, Indicator, Air Content by		Unconfirmed Cohesive Soil		Yield (T 121)	
714	(T 199)	392	(T 208)	412	Consistency, Normal, of Hydraulic	
	Chemical Analysis of Lime (T 219)	450	Concrete:		Cement (T 129)	
381	Charpy Impact Testing (T 266) ...	678	Air Content:		Consolidation Properties of Soils	
280	Chemical Analysis of Hydraulic		Gravimetric (T 121)	196	(T 216)	
284	Cement (T 105)	143	Pressure (T 152)	255	Core Drilling (T 225)	
	Iodide Permeability of Concrete		Volumetric (T 196)	382	Creosote:	
	(T 77)	721	Chace Indicator (T 199)	392	Coke Residue (T 61)	
34	Pipe (T 281)	743	Air-Entraining Admixtures		Distillation (T 62)	
	Clay Lumps in Aggregate (T 112)	189	(T 157)	276	Insoluble Matter (T 81)	
220	Coarse Aggregate:		Bleeding (T 158)	280	Sampling and Testing (T 60)	
727	Accelerated Polishing Using		Bond Strength (T 159)	284	Specific Gravity (T 82)	
732	British Wheel (T 279)	732	Cement Content of Hardened		Specific Gravity of Fractions	
	Clay Lumps (T 112)	189	Concrete (T 178)	337	(T 74)	
	Freezing and Thawing (T 103) ..	134	Chloride Ion Penetration		Water in (T 83)	
	Lightweight Particles (T 113) ...	191	(T 259)	648	Culvert Pipe, Tests (See Culvert Pi	
	Los Angeles Abrasion Test		Chloride Ion Testing (T 260)	650	Cylinders, Compressive Strength of	
	(T 96)	112	Chloride Permeability (T 277) ..	721	Concrete (T 22)	
	Material Finer than 0.075 mm		Comparison on Basis of Bond		Curing Materials (T 155)	
446	Sieve (T 11)	2	(T 159)	284		
	Sampling (T 2)	1	Compressive Strength:		D	
46	Sieve Analysis (T 27)	28	Modified Cube Test (T 140)	242	Deflection Measurements (T 256)	
	Specific Gravity and Absorption		Molded Specimens (T 22)	11	Density and Compaction of Soil	
	(T 85)	185	Specimens Taken From		(T 99, T 180)	123
	Soundness, Sulfate Se		Hardened Concrete (T 24)	23	Density of Petroleum (T 227)	
747	(T 104)	137	Consistency (T 119)	194	Density of Soil In-Place:	
747	Unit Weight (T 19)	5	Culvert Pipe (See Concrete Pipe)		Block, Chunk or Core Sampling	
373	Coating of Bituminous Aggregate		Curing Materials (T 155)	272	(T 233)	
	Mixtures		Density (T 271)	698	Drive Cylinder (T 204)	
239	Bituminous Film Retention		Flexural Strengths:		Nuclear (T 238)	
143	(T 182)	349	Center-Point Loading (T 177) ..	335	Rubber Balloon (T 205)	
174	Paraffin for Specific Gravity Test		Third-Point Loading (T 97) ..	114	Sand Cone (T 191)	
355	(T 275)	714	Specimens Taken From		Determination of Bitumen (T 44)	
352	Cohesive Soil, Compressive		Hardened Concrete (T 24) ..	23	Distillation:	
	Strength (T 208)	412	Freeze and Thaw (T 161)	294	Creosote (T 62)	
263	Coke Residue of Creosote (T 61) ..	58	Joint Filler (T 42)	41	Cut-back Asphalt (T 78)	
212	Compaction and Density of Soil		Joint Sealers (T 187)	357	Emulsions (T 59)	
212	(T 99, T 180)	123, 343	Length of Cores (T 148)	252	Petroleum Products (T 115)	
370	Compaction of Bituminous		Length of Change (T 160)	289	Disturbed Soil Samples, Preparati	
	Mixtures (T 230)	487	Modified Cube Test (T 140)	242	Dry Method (T 87)	

Wet Method (T 146)	250	Fire Point, Bituminous Materials (T 48)	45	K	Kerosene, Distillation of (T 112)	193
Drain Tile, Tests (T 280)	736	Flash Point, Bituminous Materials: Open Cup (T 48)	45		Kerosene Equivalent (T 270)	689
Drive Cylinder for Density of Soils (T 204)	400	Pensky-Martens (T 73)	71		Kinematic Viscosity of Asphalt (T 201)	396
Drying Oils (T 151)	254	Tagliabue (T 79)	74			
Ductility of Bituminous Materials (T 51)	50	Flexural Strength: Brick (T 32)	4	L		
E		Concrete: Center-Point Loading (T 177)	335		Length of Concrete Cores (T 148)	252
Elutriation Test of Aggregates (T 11)	2	Third-Point Loading (T 97)	114		Length Change of Mortar and Concrete (T 160)	289
Emulsified Asphalts: Test of (T 59)	54	Specimens Taken from Hardened Concrete (T 24)	27		Lightweight Particles in Aggregate (T 113)	191
Environmental Tests: Water (T 263, T 264)	667, 670	Float Test, Bituminous Materials (T 50)	49		Lime: Chemical Constituents and Particle Sizes (T 219)	450
Evaluation of Air-Entraining Additives (T 188)	359	Freezing and Thawing: Aggregate (T 103)	134		Content (T 232)	495
Expansion, Autoclave (T 107)	179	Air-Entraining Additions to Cement (T 157)	276		Sampling (T 218)	448
Expansion, Joint Filler, Test of (T 42)	41	Concrete (T 161)	294		Liquid Limit (T 89)	101
Expansion Pressure of Soils (T 190)	360	Brick (T 32)	35		Los Angeles Abrasion (T 96)	112
Extracted Aggregates, Mechanical Analysis (T 30)	32	Drain Tile (T 280)	736		Loss on Heating of Bituminous Materials (T 47)	44
Extraction of Bituminous Mixtures: Abson Procedure (T 170)	322	Soil-Cement Mixtures (T 136)	234	M		
		Friable Particles (T 112)	189		Magnesium Sulfate Soundness Test (T 104)	1
F		G			Mechanical Analysis: Aggregate (T 27)	28
False Set of Portland Cement (T 185, T 186)	352, 355	Galvanizing: Weight of Coating (T 65)	60		Extracted Aggregate (T 30)	32
Field Moisture Equivalent in Soils (T 93)	111	Gasoline, Distillation of (T 115)	193		Mineral Filler (T 37)	35
Field Vane Shear in Cohesive Soil (T 223)	471	Gillmore Needle, Time of Set (T 154)	269		Soil (T 88)	91
Filler, Mineral (T 37)	35	Glass Electrode for pH Determinations (T 200)	395		Mechanical Mixing (T 162)	300
Fine Aggregate: Absorption (T 84)	81	Gravel (See Coarse Aggregate)			Metallic Materials: Brinell Hardness (T 70)	65
Clay Lumps in (T 112)	189	H			Impact (T 243, T 244, T 266)	537, 540, 678
Elutriation (T 11)	2	Hardness Test, Metallic Materials: Brinell (T 70)	65		Rockwell Hardness (T 80)	77
Friable Particles (T 112)	811	Rockwell (T 80)	77		Rockwell Superficial Hardness (T 80)	77
Freezing and Thawing (T 103)	134	Rockwell Superficial (T 80)	77		Tensile Strength (T 68)	64
Lightweight Material (T 113)	191	Hydraulic Cement (See Cement)			Mineral Filler: Mechanical Analysis (T 37)	35
Mortar Strength (T 71)	66	I			Mixing, Mechanical of Hydraulic Cement (T 162)	300
Organic Impurities (T 21)	9	Impact Sampling Tests (T 243, T 244)	537, 540		Mixtures, Bituminous (See Bituminous Mixtures)	
Sampling (T 2)	1	Inorganic Matter or Ash (T 111)	188		Modified Cube Test for Concrete (T 140)	242
Sieve Analysis (T 27)	28	Insoluble Materials: Creosote (T 81)	78		Moisture-Density Relations: Soil: 5.5 lb rammer (T 99)	123
Soundness (Sulfate Solution) (T 104)	137	J			10 lb rammer (T 180)	343
Specific Gravity (T 84)	81	Joint Filler, Prefomed Expansion (T 42)	41		Soil-Cement Mixtures (T 134)	226
Unit Weight (T 19)	5	Joint Sealers for Concrete (T 187)	357		Mortar, Cement: Mechanical Mixing (T 162)	300
Fineness of Cement: Air Permeability (T 153)	263	Joints: Coated Dowel Bars (T 253)	612		Length Change (T 160)	289
0.075 mm Sieve (T 128)	212					
0.045 mm Sieve (T 192)	370					
Turbidimeter (T 98)	116					

METHODS OF SAMPLING AND TESTING

[illegible]

Preparation for Tests:		Impact (T 243, T 244)	537, 540	Kinematic (T 201)	396
Dry Method (T 87)	89	Sampling (T 243)	537	Saybolt (T 72)	69
Wet Method (T 146)	252	Testing (T 244, T 285)	540, 755	Vitrified Clay Pipe (T 281)	743
Sand Cone Method (T 191) ..	367	Stone: (See Also Coarse Aggregate)		Volatilization Test, Bituminous Materials (T 110)	182
Sand Equivalent Test (T 176)	327	Sampling (T 2)	1	Volume Change: Concrete (T 160)	289
Shrinkage Factors (T 92)	108	Stone Block, Sampling (T 2)	1	Mortar T 160)	289
Slope Inclinator (T 254) ...	615	Strength of Mortar (T 106, T 132)	174, 220		
Specific Gravity (T 100)	129	Stripping of Bituminous Aggregate Mixtures (T 182)	349		
Split Barrel Sampling (T 206)	405	Ross Count (T 195)	381		
Suction (T 273)	707			W	
Thin Wall Tube (T 207)	409	T		Washing Test for Aggregates (T 11)	
Unconfined Compressive Strength (T 208)	412			Water, Test for:	
Wet Combustion (T 194)	379	Tar:		Biological (T 263)	60
Wet Preparation for Test (T 146)	250	Specific Gravity (T 228)	485	Bituminous Mixtures (T 110) ...	18
Solubility of Bituminous Materials		Tensile Strength:		Chemical (T 263)	60
(T 44)	42	Hydraulic Cement (T 132)	220	Creosote (T 83)	
		Metallic Materials (T 68)	64	Effect on Bituminous Mixtures (T 165)	31
Soundness Test for:		Testing Machines, Verification of (T 67)	63	Emulsions (T 59)	
Aggregate:		Test Wheel Calibration (T 282) ...	747	Petroleum Products (T 55)	
Freezing and Thawing (T 103)	134	Texture Depth (T 261)	665	Physical (T 263)	60
Sulfate Solution (T 104)	137	Thin-Wall Tube Sampling of Soils (T 207)	409	Water for Concrete, Tests (T 26) .	
Hydraulic Cement (T 107)	179	Time of Setting:		Water Retention of Curing Materials (T 155)	2
Portland Cement (T 107)	179	Cement, Hydraulic:		Weight per Cubic Foot:	
		Gillmore Needles (T 154)	269	Aggregates (T 19)	
Specific Gravity:		Vicat Needle (T 131)	217	Concrete (T 121)	
Bituminous Materials (T 228, T 229, T 275)	485, 486, 714	Concrete, by Penetration Resistance (T 197)	384	Weight of Aluminum Coating on Steel (T 213)	
Bituminous Mixtures (T 166)	316	Torque Transducer Calibrating (T 282)	747	Wetting and Drying of Soil-Cement Mixtures (T 135)	
Coarse Aggregate (T 85)	85	Turbidimeter Test of Cement (T 98)	116	Wheel Force Calibration (T 282) .	
Creosote Fractions T 74)	72			Wire, Test for:	
Creosote (T 82)	79	U		Weight of Coating (T 65)	
Fine Aggregate (T 84)	81				
Hydraulic Cement (T 133)	224	V			
Maximum, for Bituminous Paving Mixtures (T 209)	416	Unit Weight of Aggregate (T 19) .	5	y	
Petroleum Products (T 227)	484			Concrete (T 121)	
Soil (T 100)	129				
Tar (T 228)	485			Z	
Spelter Coating: (See Galvanizing)					
Spot Test, Asphalt Material (T 102)	132				
Steel:					
Bending (T 285)	755				
Hardness (T 70, T 80)	65, 77				