

SN	CRSCODE	QUESTION	OPTION A	OPTION B
1	ANP309	The artificial vagina is filled with warm water	40-44°C	42-43°C
2	ANP309	The use of Artificial vagina in AI is suitable for	Goats	Ram
3	ANP309	The average semen volume of a bull is	5-8ml	2-5ml
4	ANP309	Neubauer hemocytometer is used for sperm count	False	True
5	ANP309	In vivo digestibility means feeding the live	True	False
6	ANP309	Artificial Insemination minimizes the risk of	True	False
7	ANP309	AI requires skilled and experienced manpower	True	False
8	ANP309	Breed difference is a factor that enhances semen	False	True
9	ANP309	The voltage required for AI using electroejaculation	12-40V	12-90V
10	ANP309	There is a high likelihood of bacterial infection	True	False

OPTION C	OPTION D	ANS	TMANO
Unsure	None of the	A	TMA3
Bulls	Boar	C	TMA3
8-9ml	3-5ml	A	TMA3
Unsure	None of the	B	TMA3
Unsure	None of the	A	TMA3
Unsure	None of the	A	TMA3
Unsure	None of the	A	TMA3
Unsure	None of the	B	TMA3
12-50V	12-60V	D	TMA3
Unsure	None of the	A	TMA3