

Microsoft

Exam Questions AZ-104

Microsoft Azure Administrator (beta)

NEW QUESTION 1
- (Exam Topic 2)
Which blade should you instruct the finance department auditors to use?

A. invoices
B. partner information
C. cost analysis
D. External services

Answer: A

NEW QUESTION 2
- (Exam Topic 2)
You are evaluating the name resolution for the virtual machines after the planned implementation of the Azure networking infrastructure.
For each of the following statements, select Yes if the statement is true. Otherwise, select No.

Statements	Yes	No
The virtual machines on Subnet1 will be able to resolve the hosts in the humongousinsurance.local zone.	○	○
The virtual machines on ClientSubnet will be able to register the hostname records in the humongousinsurance.local zone.	○	○
The virtual machines on Subnet4 will be able to register the hostname records in the humongousinsurance.local zone.	○	○

A. Mastered
B. Not Mastered

Answer: A

Explanation:

Statements	Yes	No
The virtual machines on Subnet1 will be able to resolve the hosts in the humongousinsurance.local zone.	○	○
The virtual machines on ClientSubnet will be able to register the hostname records in the humongousinsurance.local zone.	○	○
The virtual machines on Subnet4 will be able to register the hostname records in the humongousinsurance.local zone.	○	○

NEW QUESTION 3
- (Exam Topic 2)
You need to resolve the Active Directory issue. What should you do?

A. From Active Directory Users and Computers, select the user accounts, and then modify the User Principal Name value.
B. Run idfix.exe, and then use the Edit action.
C. From Active Directory Domains and Trusts, modify the list of UPN suffixes.
D. From Azure AD Connect, modify the outbound synchronization rule.

Answer: B

Explanation:
IdFix is used to perform discovery and remediation of identity objects and their attributes in an on-premises Active Directory environment in preparation for migration to Azure Active Directory. IdFix is intended for the Active Directory administrators responsible for directory synchronization with Azure Active Directory.
Scenario: Active Directory Issue
Several users in humongousinsurance.com have UPNs that contain special characters. You suspect that some of the characters are unsupported in Azure AD.
References: https://www.microsoft.com/en-us/download/details.aspx?id=36832

NEW QUESTION 4
- (Exam Topic 4)

You plan to create an Azure virtual machine named VM1 that will be configured as shown in the following exhibit.
The planned disk configurations for VM1 are shown in the following exhibit.



The planned disk configurations for VM1 are shown in the following exhibit.





You need to ensure that VM1 can be created in an Availability Zone.
Which two settings should you modify? Each correct answer presents part of the solution. NOTE: Each correct selection is worth one point.

A. Use managed disks
B. Availability options
C. OS disk type
D. Size
E. Image

Answer: AE

NEW QUESTION 5
- (Exam Topic 4)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have an Azure Active Directory (Azure AD) tenant named Adatum and an Azure Subscription named Subscription1. Adatum contains a group named Developers. Subscription1 contains a resource group named Dev.
You need to provide the Developers group with the ability to create Azure logic apps in the Dev resource group.
Solution: On Subscription1, you assign the DevTest Labs User role to the Developers group. Does this meet the goal?

A. Yes
B. No

Answer: B

Explanation:
DevTest Labs User role only lets you connect, start, restart, and shutdown virtual machines in your Azure DevTest Labs.
You would need the Logic App Contributor role. References:
https://docs.microsoft.com/en-us/azure/role-based-access-control/built-in-roles https://docs.microsoft.com/en-us/azure/logic-apps/logic-apps-securing-a-logic-app

NEW QUESTION 6
- (Exam Topic 4)
You have Azure subscription that includes following Azure file shares: You have the following on-premises servers:
You create a Storage Sync Service named Sync1 and an Azure File Sync group named Group1. Group1 uses share1 as a cloud endpoint.
You register Server1 and Server2 in Sync1. You add D:\Folder1 on Server1 as a server endpoint of Group1. For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.



A. Mastered
B. Not Mastered

Answer: A

Explanation:
Box 1: No
Group1 already has a cloud endpoint named Share1.
A sync group must contain one cloud endpoint, which represents an Azure file share and one or more server endpoints.
Box 2: Yes
Yes, one or more server endpoints can be added to the sync group. Box 3: Yes
Yes, one or more server endpoints can be added to the sync group. References:
https://docs.microsoft.com/en-us/azure/storage/files/storage-sync-files-deployment-guide

NEW QUESTION 7
- (Exam Topic 4)
You have an Azure subscription that contains an Azure Availability Set named WEBPROD-AS-USE2 as shown in the following exhibit.

```
PS Azure:\> az vm availability-set list    RG1
[
  {
    "id": "/subscriptions/8372f433-2dcd-4361-b5ef-5b188fed87d0/resourceGr
oups/RG1/providers/Microsoft.Compute/availabilitySets/WEBPROD-AS-USE2",
    "location": "eastus2",
    "name": "WEBPROD-AS-USE2",
    "platformFaultDomainCount": 2,
    "platformUpdateDomainCount": 10,
    "proximityPlacementGroup": null,
    "resourceGroup": "RG1",
    "sku": {
      "capacity": null,
      "name": "Aligned",
      "tier": null
    },
    "statuses": null,
    "tags": {},
    "type": "Microsoft.Compute/availabilitySets",
    "virtualMachines": []
  }
]
Azure:/
```

You add 14 virtual machines to WEBPROD-AS-USE2.
Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.



A. Mastered
B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 8
- (Exam Topic 4)
You plan to deploy an Azure container instance by using the following Azure Resource Manager template.

```
{
    "type": "Microsoft.ContainerInstance/containerGroups",
    "apiVersion": "2018-10-01",
    "name": "webprod",
    "location": "westus",
    "properties": {
        "containers": [
            {
                "name": "webprod",
                "properties": {
                    "image": "microsoft/iis:nanoserver",
                    "ports": [
                        {
                            "protocol": "TCP",
                            "port": 80
                        }
                    ],
                    "environmentVariables": [],
                    "resources": {
                        "requests": {
                            "memoryInGB": 1.5,
                            "cpu": 1
                        }
                    }
                }
            }
        ],
        "restartPolicy": "OnFailure",
        "ipAddress": {
            "ports": [
                {
                    "protocol": "TCP",
                    "port": 80
                }
            ],
            "ip": "[parameters('IPAddress')]",
            "type": "Public"
        },
                    "ports": [
                        {
                            "protocol": "TCP",
                            "port": 80
                        }
                    ],
                    "ip": "[parameters('IPAddress')]",
                    "type": "Public"
                },
                "osType": "Windows"
            }
        }
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the template.



A. Mastered
B. Not Mastered

Answer: A

Explanation:



NEW QUESTION 9
- (Exam Topic 4)
You have several Azure virtual machines on a virtual network named VNet1. You configure an Azure Storage account as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

The virtual machines on the 10.2.9.0/24 subnet will have network connectivity to the file shares in the storage account.

always
during a backup
never

Azure Backup will be able to back up the umanaged hard disks of the virtual machines in the storage account.

always
during a backup
never

A. Mastered
B. Not Mastered

Answer: A

Explanation:
Box 1: always
Endpoint status is enabled. Box 2: Never
After you configure firewall and virtual network settings for your storage account, select Allow trusted Microsoft services to access this storage account as an exception to enable Azure Backup service to access the network restricted storage account.



Reference:
https://docs.microsoft.com/en-us/azure/storage/files/storage-how-to-use-files-windows https://azure.microsoft.com/en-us/blog/azure-backup-now-supports-storage-accounts-secured-with-azure-storage

NEW QUESTION 10
- (Exam Topic 4)
This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have an Azure subscription named Subscription1 that contains the resources shown in the following table.

Name	Type	Location	Resource group
RG1	Resource group	East US	*Not applicable*
RG2	Resource group	West Europe	*Not applicable*
RG3	Resource group	North Europe	*Not applicable*
VNET1	Virtual network	Central US	RG1
VM1	Virtual machine	West US	RG2

VM1 connects to a virtual network named VNET2 by using a network interface named NIC1. You need to create a new network interface named NIC2 for VM1.
Solution: You create NIC2 in RG1 and Central US. Does this meet the goal?

A. Yes
B. No

Answer: B

Explanation:
The virtual machine you attach a network interface to and the virtual network you connect it to must exist in the same location, here West US, also referred to as a region.
References:
https://docs.microsoft.com/en-us/azure/virtual-network/virtual-network-network-interface

NEW QUESTION 10
- (Exam Topic 4)
You have an Azure Active Directory (Azure AD) tenant named adatum.com that contains the users shown in the following table.

Name	Role
User1	*None*
User2	Global administrator
User3	Cloud device administrator
User4	Intune administrator

Adatum.com has the following configurations: Users may join devices to Azure AD is set to User1.
Additional local administrators on Azure AD joined devices is set to None.
You deploy Windows 10 to a computer named Computer. User1 joins Computer1 to adatum.com. You need to identify which users are added to the local Administrators group on Computer1.

A. User1 only
B. User1, User2, and User3 only
C. User1 and User2 only
D. User1, User2, User3, and User4
E. User2 only

Answer: C

Explanation:
Users may join devices to Azure AD - This setting enables you to select the users who can register their devices as Azure AD joined devices. The default is All.
Additional local administrators on Azure AD joined devices - You can select the users that are granted local administrator rights on a device. Users added here are added to the Device Administrators role in Azure AD. Global administrators, here User2, in Azure AD and device owners are granted local administrator rights by default.
References:
https://docs.microsoft.com/en-us/azure/active-directory/devices/device-management-azure-portal

NEW QUESTION 14
- (Exam Topic 4)
You have an Azure subscription that contains the resource groups shown in the following table.

Name	Lock name	Lock type
RG1	None	None
RG2	Lock	Delete

RG1 contains the resources shown in the following table.

Name	Type	Lock name	Lock type
storage1	Storage account	Lock1	Delete
VNET1	Virtual network	Lock2	Read-only
IP1	Public IP address	None	None

RG2 contains the resources shown in the following table.

Name	Type	Lock name	Lock type
storage2	Storage account	Lock1	Delete
VNET2	Virtual network	Lock2	Read-only
IP2	Public IP address	None	None

You need to identify which resources you can move from RG1 to RG2, and which resources you can move from RG2 to RG1.
Which resources should you identify? To answer, select the appropriate options in the answer area.

Resources that you can move from RG1 to RG2:

- None
- IP1 only
- IP1 and storage1 only
- IP1 and VNET1 only
- IP1, VNET1, and storage1

Resources that you can move from RG2 to RG1:

- None
- IP2 only
- IP2 and storage2 only
- IP2 and VNET2 only
- IP2 , VNET2, and storage2

A. Mastered
B. Not Mastered

Answer: A

Explanation:
Reference:
https://docs.microsoft.com/en-us/azure/governance/blueprints/concepts/resource-locking

NEW QUESTION 16
- (Exam Topic 4)
You have an Azure subscription that contains the storage accounts shown in the following table.

Name	Kind	Performance	Replication	Access tier
Storage1	Storage (general purpose v1)	Premium	Geo-redundant storage (GRS)	*None*
Storage2	StorageV2 (general purpose v2)	Standard	Locally-redundant storage (LRS)	Cool
Storage3	StorageV2 (general purpose v2)	Premium	Read-access geo-redundant storage (RA-GRS)	Hot
Storage4	BlobStorage	Standard	Locally-redundant storage (LRS)	Hot

You need to identify which storage account can be converted to zone-redundant storage (ZRS) replication by requesting a live migration from Azure support.
What should you identify?

A. Storage1
B. Storage2
C. Storage3
D. Storage4

Answer: B

Explanation:
ZRS currently supports standard general-purpose v2, FileStorage and BlockBlobStorage storage account types.

NEW QUESTION 20

- (Exam Topic 4)
You have an Azure subscription that contains a resource group named Test RG. You use TestRG to validate an Azure deployment.
TestRG contains the following resources:

Name	Type	Description
VM1	Virtual Machine	VM1 is running and configured to back up to Vault1 daily.
VAULT1	Recovery Services Vault	Vault1 includes all backups of VM1.
VNET1	Virtual Network	VNET1 has a resource lock of type Delete.

You need to delete TestRG.
What should you do first?

A. Modify the backup configurations of VM1 and modify the resource lock type of VNET1.
B. Turn off VM1 and delete all data in Vault1.
C. Remove the resource lock from VNET1 and delete all data in Vault1.
D. Turn off VM1 and remove the resource lock from VNET1.

Answer: D

Explanation:
When you want to delete the resource, you first need to remove the lock. References:
https://docs.microsoft.com/sv-se/azure/azure-resource-manager/management/lock-resources

NEW QUESTION 21
- (Exam Topic 4)
You have a virtual network named VNet1 that has the configuration shown in the following exhibit.

```
PS C:\> Get-AzureRmVirtualNetwork -Name Vnet1 -ResourceGroupName Production


Name                    : VNet1
ResourceGroupName       : Production
Location                : westus
Id                      : /subscriptions/14d26092-8e42-4ea7-b770-9dcef70fb1ea/resourceGroups/Production/providers/Micros
                          oft.Network/virtualNetworks/VNet1
Etag                    : W/"76f7edd6-d022-455b-aeae-376059318e5d"
ResourceGuid            : 562696cc-b2ba-4cc5-9619-0a735d6c34c7
ProvisioningState       : Succeeded
Tags                    :
AddressSpace            : {
                            "AddressPrefixes": [
                              "10.2.0.0/16"
                            ]
                          }
DhcpOptions             : {}
Subnets                 : [
                            {
                              "Name": "default",
                              "Etag": "W/\"76f7edd6-d022-455b-aeae-376059318e5d\"",
                              "Id": "/subscriptions/14d26092-8e42-4ea7-b770-9dcef70fb1ea/resourceGroups/Production/provi
                          ders/Microsoft.Network/virtualNetworks/VNet1/subnets/default",
                              "AddressPrefix": "10.2.0.0/24",
                              "IpConfigurations": [],
                              "ResourceNavigationLinks": [],
                              "ServiceEndpoints": [],
                              "ProvisioningState": "Succeeded"
                            }
                          ]
VirtualNetworkPeerings  : []
EnableDDoSProtection    : false
EnableVmProtection      : false
```

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.
NOTE: Each correct selection is worth one point.

Answer Area

Before a virtual machine on VNet1 can receive an IP address from 192.168.1.0/24, you must first **[answer choice]**.

add a network interface
add a subnet
add an address space
delete a subnet
delete an address space

Before a virtual machine on VNet1 can receive an IP address from 10.2.1.0/24, you must first **[answer choice]**.

add a network interface
add a subnet
add an address space
delete a subnet
delete an address space

A. Mastered
B. Not Mastered

Answer: A

Explanation:
Box 1: add a subnet
Your IaaS virtual machines (VMs) and PaaS role instances in a virtual network automatically receive a private IP address from a range that you specify, based on the subnet they are connected to. We need to add the 192.168.1.0/24 subnet.
Box 2: add a network interface
The 10.2.1.0/24 network exists. We need to add a network interface. References:
https://docs.microsoft.com/en-us/azure/virtual-network/virtual-networks-static-private-ip-arm-pportal

NEW QUESTION 23
- (Exam Topic 4)
You have an Azure subscription that contains a storage account named account1.
You plan to upload the disk files of a virtual machine to account1 from your on-premises network. The on-premises network uses a public IP address space of 131.107.1.0/24.
You plan to use the disk files to provision an Azure virtual machine named VM1. VM1 will be attached to a virtual network named VNet1. VNet1 uses an IP address space of 192.168.0.0/24.
You need to configure account1 to meet the following requirements:

- Ensure that you can upload the disk files to account1.
- Ensure that you can attach the disks to VM1.
- Prevent all other access to account1.

Which two actions should you perform? Each correct selection presents part of the solution.
NOTE: Each correct selection is worth one point.

A. From the Firewalls and virtual networks blade of account1, add the 131.107.1.0/24 IP address range.
B. From the Firewalls and virtual networks blade of account1, select Selected networks.
C. From the Firewalls and virtual networks blade of acount1, add VNet1.
D. From the Firewalls and virtual networks blade of account1, select Allow trusted Microsoft services to access this storage account.
E. From the Service endpoints blade of VNet1, add a service endpoint.

Answer: BE

Explanation:
B: By default, storage accounts accept connections from clients on any network. To limit access to selected networks, you must first change the default action.
Azure portal

- Navigate to the storage account you want to secure.
- Click on the settings menu called Firewalls and virtual networks.
- To deny access by default, choose to allow access from 'Selected networks'. To allow traffic from all networks, choose to allow access from 'All networks'.
- Click Save to apply your changes. E: Grant access from a Virtual Network

Storage accounts can be configured to allow access only from specific Azure Virtual Networks.
By enabling a Service Endpoint for Azure Storage within the Virtual Network, traffic is ensured an optimal route to the Azure Storage service. The identities of the virtual network and the subnet are also transmitted with each request.
References: https://docs.microsoft.com/en-us/azure/storage/common/storage-network-security

NEW QUESTION 26
- (Exam Topic 4)
You have an Azure Active Directory (Azure AD) tenant named contoso.com that is synced to an Active Directory domain. The tenant contains the users shown in the following table.

Name	Type	Source
User1	Member	Azure AD
User2	Member	Windows Server Active Directory
User3	Guest	Microsoft account
User4	Member	Windows Server Active Directory

The users have the attributes shown in the following table.

Name	Office phone	Mobile phone
User1	222-555-1234	222-555-2345
User2	null	null
User3	222-555-1234	222-555-2346
User4	222-555-1234	null

You need to ensure that you can enable Azure Multi-Factor Authentication (MFA) for all four users. Solution: You add an office phone number for User2.
Does this meet the goal?

A. Yes
B. No

Answer: B

Explanation:
User3 requires a user account in Azure AD.
Note: Your Azure AD password is considered an authentication method. It is the one method that cannot be disabled.
References:
https://docs.microsoft.com/en-us/azure/active-directory/authentication/concept-authentication-methods

NEW QUESTION 28
- (Exam Topic 4)
You have an Azure subscription that includes data in following locations:

Name	Type
container1	Blob container
share1	Azure files share
DB1	SQL database
Table1	Azure Table

You plan to export data by using Azure import/export job named Export1. You need to identify the data that can be exported by using Export1. Which data should you identify?

A. DB1
B. Table1
C. container1
D. Share1

Answer: D

Explanation:
Azure Import/Export service is used to securely import large amounts of data to Azure Blob storage and Azure Files by shipping disk drives to an Azure datacenter.
References:
https://docs.microsoft.com/en-us/azure/storage/common/storage-import-export-service

NEW QUESTION 30
- (Exam Topic 4)
You have an Azure virtual machine named VM1.
You use Azure Backup to create a backup of VM1 named Backup1. After creating Backup1, you perform the following changes to VM1:

- Modify the size of VM1.
- Copy a file named Budget.xls to a folder named Data.
- Reset the password for the built-in administrator account.
- Add a data disk to VM1.

An administrator uses the Replace existing option to restore VM1 from Backup1. You need to ensure that all the changes to VM1 are restored.
Which change should you perform again?

A. Modify the size of VM1.
B. Add a data disk.
C. Reset the password for the built-in administrator account.
D. Copy Budget.xls to Data.

Answer: D

Explanation:
References:
https://docs.microsoft.com/en-us/azure/backup/backup-azure-arm-restore-vms#replace-existing-disks

NEW QUESTION 32
- (Exam Topic 4)
You have an Azure virtual machine named VM1.
The network interface for VM1 is configured as shown in the exhibit. (Click the Exhibit tab.) You deploy a web server on VM1, and then create a secure website that is accessible by using the
HTTPS protocol VM1 is used as a web server only.
You need to ensure that users can connect to the website from the Internet.
What should you do?

A. Change the priority of Rule3 to 450.
B. Change the priority of Rule6 to 100
C. DeleteRule1.
D. Create a new inbound rule that allows TCP protocol 443 and configure the protocol to have a priority of 501.

Answer: D

NEW QUESTION 37
- (Exam Topic 4)
You have an Azure subscription that contains an Azure file share.
You have an on-premises server named Server1 that runs Windows Server 2016. You plan to set up Azure File Sync between Server1 and the Azure file share.
You need to prepare the subscription for the planned Azure File Sync.
Which two actions should you perform in the Azure subscription? To answer, drag the appropriate actions to the correct targets. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.



A. Mastered
B. Not Mastered

Answer: A

Explanation:
First action: Create a Storage Sync Service
The deployment of Azure File Sync starts with placing a Storage Sync Service resource into a resource group of your selected subscription.
Second action: Run Server Registration
Registering your Windows Server with a Storage Sync Service establishes a trust relationship between your server (or cluster) and the Storage Sync Service. A server can only be registered to one Storage Sync Service and can sync with other servers and Azure file shares associated with the same Storage Sync Service.
The Server Registration UI should open automatically after installation of the Azure File Sync agent.



NEW QUESTION 38
- (Exam Topic 4)
You create a virtual machine scale set named Scale1. Scale1 is configured as shown in the following exhibit.



Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic.

If Scale1 is utilized at 85 percent for six minutes, Scale1 will be running [**answer choice**].

▼
2 virtual machines
4 virtual machines
6 virtual machines
10 virtual machines
20 virtual machines

If Scale1 is first utilized at 25 percent for six minutes, and then utilized at 50 percent for six minutes, Scale1 will be running [**answer choice**].

▼
2 virtual machines
4 virtual machines
6 virtual machines
10 virtual machines
20 virtual machines

A. Mastered
B. Not Mastered

Answer: A

Explanation:
Box 1:
The Autoscale scale out rule increases the number of VMs by 2 if the CPU threshold is 80% or higher. The initial instance count is 4 and rises to 6 when the 2 extra instances of VMs are added.
Box 2:
The Autoscale scale in rule decreases the number of VMs by 4 if the CPU threshold is 30% or lower. The initial instance count is 4 and thus cannot be reduced to 0 as the minimum instances is set to 2. Instances are only added when the CPU threshold reaches 80%.
References:
https://docs.microsoft.com/en-us/azure/azure-monitor/platform/autoscale-overview https://docs.microsoft.com/en-us/azure/azure-monitor/platform/autoscale-best-practices https://docs.microsoft.com/en-us/azure/azure-monitor/platform/autoscale-common-scale-patterns

NEW QUESTION 39
- (Exam Topic 4)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have an Azure subscription that contains the following resources:

- A virtual network that has a subnet named Subnet1
- Two network security groups (NSGs) named NSG-VM1 and NSG-Subnet1
- A virtual machine named VM1 that has the required Windows Server configurations to allow Remote Desktop connections

NSG-Subnet1 has the default inbound security rules only.
NSG-VM1 has the default inbound security rules and the following custom inbound security rule:

- Priority: 100
- Source: Any
- Source port range: *
- Destination: *
- Destination port range: 3389
- Protocol: UDP
- Action: Allow

VM1 connects to Subnet1. NSG1-VM1 is associated to the network interface of VM1. NSG-Subnet1 is associated to Subnet1.
You need to be able to establish Remote Desktop connections from the internet to VM1.
Solution: You add an inbound security rule to NSG-Subnet1 that allows connections from the Internet source to the VirtualNetwork destination for port range 3389 and uses the UDP protocol.
Does this meet the goal?

A. Yes
B. No

Answer: B

NEW QUESTION 44
- (Exam Topic 4)
You have an Azure subscription named Subcription1 that contains a resource group named RG1. In RG1. you create an internal load balancer named LB1 and a public load balancer named 162.
You need to ensure that an administrator named Admin 1 can manage LB1 and LB2. The solution must follow the principle of least privilege.
Which role should you assign to Admin1 for each task? To answer, select the appropriate options in the answer area.
NOTE: Caen correct selection is worth one point.

Answer Area



A. Mastered
B. Not Mastered

Answer: A

Explanation:

Answer Area



NEW QUESTION 45
- (Exam Topic 4)
Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while others might not have a correct solution.
After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.
You have an Azure subscription that contains the following resources:

- A virtual network that has a subnet named Subnet1
- Two network security groups (NSGs) named NSG-VM1 and NSG-Subnet1
- A virtual machine named VM1 that has the required Windows Server configurations to allow Remote Desktop connections

NSG-Subnet1 has the default inbound security rules only.
NSG-VM1 has the default inbound security rules and the following custom inbound security rule:

- Priority: 100
- Source: Any
- Source port range: *
- Destination: *
- Destination port range: 3389
- Protocol: UDP
- Action: Allow

VM1 connects to Subnet1. NSG1-VM1 is associated to the network interface of VM1. NSG-Subnet1 is associated to Subnet1.
You need to be able to establish Remote Desktop connections from the internet to VM1.
Solution: You add an inbound security rule to NSG-Subnet1 and NSG-VM1 that allows connections from the internet source to the VirtualNetwork destination for port range 3389 and uses the TCP protocol.
Does this meet the goal?

A. Yes
B. No

Answer: A

Explanation:
The default port for RDP is TCP port 3389. A rule to permit RDP traffic must be created automatically when you create your VM.
Note on NSG-Subnet1: Azure routes network traffic between all subnets in a virtual network, by default. References:
https://docs.microsoft.com/en-us/azure/virtual-machines/troubleshooting/troubleshoot-rdp-connection

NEW QUESTION 50
- (Exam Topic 4)
You have an Azure virtual machine named VM1 and a Recovery Services vault named Vault1. You create a backup Policy1 as shown in the exhibit. (Click the Exhibit tab.)



You configure the backup of VM1 to use Policy1 on Thursday, January 1. You need to identify the number of available recovery points for VM1.
How many recovery points are available on January 8 and on January 15? To answer, select the appropriate options in the answer area.
NOTE: Each correct selection is worth one point.



A. Mastered
B. Not Mastered

Answer: A

Explanation:
Box 1: 6
4 daily + 1 weekly + monthly Box 2: 8
4 daily + 2 weekly + monthly + yearly

NEW QUESTION 51
- (Exam Topic 4)
You have Azure virtual machines that run Windows Server 2019 and are configured as shown in the following table.

Name	Virtual network name	DNS suffix configured in Windows Server
VM1	VNET1	Contoso.com
VM2	VNET2	Contoso.com

You create a public Azure DNS zone named adatum.com and a private Azure DNS zone named contoso.com.
For contoso.com, you create a virtual network link named link1 as shown in the exhibit. (Click the Exhibit tab.)



You discover that VM1 can resolve names in contoso.com but cannot resolve names in adatum.com.
VM1 can resolve other hosts on the internet.
You need to ensure that VM1 can resolve host names in adatum.com. What should you do?

A. Update the DNS suffix on VM1 to be adatum.com.
B. Create an SRV record in the contoso.com zone.
C. Configure the name servers for adatum.com at the domain registrar.
D. Modify the Access control (IAM) settings for link1.

Answer: D

NEW QUESTION 56
- (Exam Topic 4)
Your network contains an on-premises Active Directory domain named adatum.com. The domain contains an organizational unit (OU) named OU1. OU1 contains the objects shown in the following table.

Name	Type	Member of
User1	User	Group1
Group1	Global security group	None
Group2	Universal distribution group	None
Computer1	Computer	Group1

You sync OU1 to Azure Active Directory (Azure AD) by using Azure AD Connect. You need to identify which objects are synced to Azure AD.
Which objects should you identify?

A. User1 and Group1 only
B. User1, Group1, and Group2 only
C. User1, Group1, Group2, and Computer1
D. Computer1 only

Answer: B

Explanation:
Reference:
https://docs.microsoft.com/en-us/azure/active-directory-domain-services/synchronization

NEW QUESTION 61

- (Exam Topic 4)
You have Azure subscriptions named Subscription1 and Subscription2. Subscription1 has following resource groups:

Name	Region	Lock type
RG1	West Europe	None
RG2	West Europe	Read Only

RG1 includes a web app named App1 in the West Europe location. Subscription2 contains the following resource groups:

Name	Region	Lock type
RG3	East Europe	Delete
RG4	Central US	none

For each of the following statements, select Yes if the statement is true. Otherwise, select No.
NOTE: Each correct selection is worth one point.

Statements	Yes	No
App1 can be moved to RG2	○	○
App1 can be moved to RG3	○	○
App1 can be moved to RG4	○	○

A. Mastered
B. Not Mastered

Answer: A

Explanation:
Reference:
https://docs.microsoft.com/en-us/azure/azure-resource-manager/management/move-limitations/app-service-mov

NEW QUESTION 66
.....

Thank You for Trying Our Product

We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

AZ-104 Practice Exam Features:

* AZ-104 Questions and Answers Updated Frequently

* AZ-104 Practice Questions Verified by Expert Senior Certified Staff

* AZ-104 Most Realistic Questions that Guarantee you a Pass on Your FirstTry

* AZ-104 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click
Order The AZ-104 Practice Test Here