

RATE OF REACTION

for : $aA + bB \longrightarrow xX + yY$

$$\text{rate} = -\frac{1}{a} \frac{d[A]}{dt} = -\frac{1}{b} \frac{d[B]}{dt} = \frac{1}{x} \frac{d[X]}{dt} = \frac{1}{y} \frac{d[Y]}{dt}$$

INSTANTANEOUS RATE

$$\text{rate} = -\frac{d[R]}{dt} = \frac{d[P]}{dt}$$

AVERAGE RATE


$$\text{rate} = \frac{-\Delta R}{\Delta t} = \frac{-(R_2 - R_1)}{t_2 - t_1}$$

REACTION	UNIT OF RATE CONSTANT (K)
Zero Order	$\text{mol L}^{-1}\text{s}^{-1}$
First Order	s^{-1}
Second Order	$\text{mol}^{-1}\text{L s}^{-1}$

ORDER OF REACTION

Sum of powers of concentration of reactants in the rate law.


Order of a reaction may be whole number or a fraction.



MOLECULARITY

- Number of reacting species taking part in an elementary reaction
- It cannot be zero or a fraction.

Molecularity = $a + b$



RATE CONSTANT UNIT FOR n^{th} ORDER REACTION

$k = \text{mol}^{1-n} \text{ Litren}^{-1} \text{ sec}^{-1}$

RATE EXPRESSION

$\text{rate} \propto [A]^x [B]^y$

RATE CONSTANT (k)

$\text{rate} = k[A]^x[B]^y$

COLLISION THEORY

FOR BIMOLECULAR REACTION

$\text{rate} = P Z_{AB} e^{-E_a/RT}$
 $P \rightarrow$ steric factor
 $Z_{AB} \rightarrow$ collision frequency

EFFECTIVE COLLISION

Molecular collide with sufficient kinetic energy and proper orientation



COLLISION FREQUENCY

Number of collisions per unit volume of reaction mixture.

A chemical reaction occurs when molecules collide with sufficient energy.

INTEGRATED RATE EQUATION

Reaction	Differential rate law	Integrated rate law	Half life
Zero Order	$\frac{d[R]}{dt} = -k$	$kt = [R]_0 - [R]$	$t_{1/2} = \frac{[R]_0}{2k}$
First Order	$\frac{d[R]}{dt} = -k[R]$	$kt = \ln\left(\frac{[R]_0}{[R]}\right)$	$t_{1/2} = \frac{0.693}{k}$



Half life of n^{th} order reaction

$t_{1/2} \propto [R]^{1-n}$

Radioactive decay are first order reaction.

CHEMICAL KINETICS

FACTORS INFLUENCING RATE

CONCENTRATION

Higher the concentration of reactants, faster is the rate of reaction.

TEMPERATURE

Rate of reaction increases with increase in temperature.


SURFACE AREA

Greater is the surface area, faster is the reaction rate.

PRESENCE OF CATALYST

Rate of reaction increases in presence of a catalyst.


ARRHENIUS EQUATION



$$\log\left(\frac{k_1}{k_2}\right) = \frac{E_a}{2.303} \left[\frac{T_1 - T_2}{T_1 T_2} \right]$$

$$k = Ae^{-E_a/RT}$$

$$\ln k = \ln A - \frac{E_a}{RT}$$



PSEUDO FIRST ORDER REACTION

- are not truly first order reaction but in certain conditions behaves like those.
- hydrolysis of ethyl acetate in acidic medium

