

COMPARITIVE STUDY OF MIASMS

DR. J.VAISHALI

DEPT OF ORGANON OF MEDICINE.



MIASMS AN

OVERALL

UNDERSTANDING

Classification of Miasms



REPRESENTATION OF PSORIC GENERAL FEATURES

TIRED EASILY FATIGUED



DESIRES WARM FOODS



PERIODICITY OF ALL COMPLAINTS



GENERAL AMELIORATION BY NATURAL DISCHARGES



MORNING AGGRAVATION




SLOW CONVALESCENCE



REPRESENTATION OF SYCOTIC GENERAL FEATURES

FIXED IDEAS



MASKED FACE



JEALOUS



SUSPICIOUS



SECRETIVE



COLD AGGRAVATION



DESIRE RICH FOODS



REPRESENTATION OF SYPHILITIC GENERAL FEATURES

SUICIDAL TENDENCY



DEPRESSION



Dictatorial



DESIRES COLD FOOD



NIGHT AGGRAVATION SLEEPLESSNESS



COMMON DISORDERS AND THEIR MIASMATIC INTREPRETATION

BRONCHIAL ASTHMA

- PSORIC PHASE
- 1. Emotional factors in hypersensitive persons lead to Bronchial spasm.
- 2. Allergic Traits: Immunological responses with inflammatory changes

- 3. Suppressed skin disorders or discharges
- 4. Heredity: Strongest factor Psoric or Tubercular trait are more prone to develop Bronchial Asthma.

CLINICAL PRESENTATION DURING PSORIC PHASE

- Rhinitis with running nose Sneezing Wheezing
- The whole episode reverts to normal, when the causative stress disappears

SYCOTIC PHASE

- Response is indolent
- Reduced resistance to germs & viruses
- Spasms
- Reactive secretions causing rattling in the chest with humid & productive cough..

- Infection soon moves down to the chest causing congestion – Bronchitis, Pneumonitis.
- < by humidity, working in water Getting wet

SYPHILITIC PHASE

- More irreversible pathology over along period.
- Alveolar elasticity is lost – reduced exchange of O₂ & CO₂
- Emphysema develops.

- Loss of bronchial elasticity with dilation of medium bronchi.
- Right heart enlargement, and Failure, Cor pulmonale, Fibrosis.

HYPERTENSION

- PSORIC PHASE: Labile hypertension
- Constant fluctuations in the levels of Blood Pressure due to stress at emotional & physical levels.

CAUSES

- PHYSIOLOGICAL – Pregnancy, Exercise
- EMOTIONAL – Anger, Anxiety. Worries, Tension, Shock, Loss of dear ones, Financial loss.

SYCOTIC PHASE

- Metabolic changes due to systemic disorders like Diabetes, prolonged use of contraceptive pills.
- Neoplastic growths causing pressure symptoms, Atherosclerosis, Renal disorders, Coarctation of Aorta.

SYPHILITIC PHASE

- Wide-spread destructive changes in vital organs – Heart, kidneys, Retina

SKIN AILMENTS

- PSORIC
- ACUTE ECZEMAS
- BOILS
- ACNE
- RASHES
- SCABIES

SYCOTIC

- CHRONIC ECZEMAS WITH BLACK DISCOLORATION
- LICHENIFICATION
- VIRAL INFECTIONS & WARTS
- FUNGAL INFECTIONS
- ACCUMULATIONS: LIPOMA, FIBROMA, XANTHOMA

SYPHILITIC

- DEEP CRACKS
- FISSURES WITH BLEEDING
- CARBUNCLES
- VARICOSE ULCERS
- MALIGNANT CARCINOMAS

COMPARITIVE STUDY OF THE 3 BASIC MIASMS

VERTIGO



SYMPTOM	PSORA	SYCOSIS	SYPHILIS
VERTIGO	VERTIGO FROM DIGESTIVE DISTURBANCES. AGGRAVATED BY EMOTIONAL DISTURBANCES. AGGRAVATED BY WALKING, MOTION OF ANY KIND. AMELIORATED BY LYING DOWN.	VERTIGO ON CLOSING THE EYES AND DISAPPEARS ON OPENING.	VERTIGO BEGINS AT THE BASE OF THE BRAIN AND ACCOMPANIED BY FORGETFULNESS.

HEADACHE



PSORA



SYCOSIS



SYPHILLIS



SYMPTOM	PSORA	SYCOSIS	SYPHILIS
HEADACHE	THROBBING HEADACHE WITH RED FACE USUALLY FRONTAL AND PARIETAL. AMELIORATED BY REST, LYING DOWN, HEAT, WARM APPLICATION.	HEADACHE IN THE VERTEX. AGGRAVATED AT NIGHT, ESPECIALLY MIDNIGHT. HEADACHE AMELIORATED BY MOTION.	GENERALLY IN THE BACK OF THE HEAD. AGGRAVATED DURING NIGHT. DULL AND HEAVY HEADACHE. AMELOIRATED BY MOTION. AGGRAVATED BY HEAT OR WARMTH APPLICATION. CHILD BORES THE HEAD INTO THE PILLOW.

HEAD AND HAIR



PSORA



SYCOSIS



SYPHILLIS



SYMPTOM	PSORA	SYCOSIS	SYPHILIS
HEAD AND HAIR	PREMATURE GREY HAIR. SPLIT ENDS. WITH HAIR FALL OF SINGLE HAIRS	HAIR FALLS IN CIRCULAR SPOTS	HAIR MOIST, GREASY WITH OFFENSIVE ODOUR. HAIRFALL IN BUNCHES, FROM BEARD, EYELASHES AND EYEBROWS.
	DIRTY SCALP.	PERSPIRATION IN THE SCALP PRESENT BUT IT IS NOT OFFENSIVE.	HEAD – OPEN FONTANELLS GENERAL HYDROCEPHALOID APPEARANCE OF THE HEAD. SCALP MOIST

EYES



PSORA



SYCOSIS



SYPHILLIS



SYMPTOM	PSORA	SYCOSIS	SYPHILIS
EYES	INTOLERANCE TO DAYLIGHT OR SUNLIGHT.	OPTIC NEURALGIA AGGRAVATED BY CHANGE OF WEATHER.	INTOLERANCE TO ARTIFICIAL LIGHT. PTOSIS CORNEAL ULCERS GREENISH OR GREENISH YELLOW DISCHARGES

EARS



PSORA



SYCOSIS



SYPHILLIS



SYMPTOM	PSORA	SYCOSIS	SYPHILIS
EARS	LOSS OF MOISTURE IN EAR DRY AND SCALY AUDITORY CANAL. OVERSENSITIVE TO NOISES.	ACUTE OTITIS WITH PROFUSE EXUDATION INCORDINATION IN THE SENSE OF HEARING CAUSES HIM TO HEAR BEST IN NOISE.	TROUBLES OF THE MIDDLE EAR. DISCHARGES AMELIORATES THE SYMPTOMS AND SYMPTOMS OCCUR WHEN THE DISCHARGE THE DISCHARGE IS SUPRESSED.

FACE



SYMPTOM	PSORA	SYCOSIS	SYPHILIS
FACE	SHAPE OF AN INVERTED TRIANGLE. FEVERISH FACE RED AND SHINY. PRESENCE OF ACNE AND PIMPLES. UNWASHED APPEARANCE OF FACE.	BLUISH AND CYNOTIC FACE DUE TO VENOUS CONGESTION.	GREYISH, GREASY FACE. DEEP FISSURES ESPECIALLY IN THE LIPS.

NOSE



PSORA



SYCOSIS



SYPHILLIS



SYMPTOM	PSORA	SYCOSIS	SYPHILIS
NOSE	<p>OVERSENSITIVENESS TO ODOURS. FAINTS WITH SMELL OF PERFUMES.</p> <p>NOT MUCH OFFENSIVE DISCHARGES.</p>	<p>SENSE OF SMELL IS LOST. SNUFFLES IN CHILDREN.</p> <p>DISCHARGES WITH CHARACTERISTIC FISH BRINE ODOUR.</p>	<p>SENSE OF SMELL IS LOST. EASY TENDENCY OF BLEEDING NOSE</p>

MOUTH



PSORA



SYCOSIS



SYPHILLIS



SYMPTOM	PSORA	SYCOSIS	SYPHILIS
MOUTH	ORAL THRUSH AND STOMATITIS.	LEUKOPLAKIA.	ORAL ULCERS WITH DECAY OF TOOTH.
TASTE	BURNT TASTE	FISHY TASTE	METALLIC TASTE.

CRAVINGS



PSORA



SYCOSIS



SYPHILLIS




SYMPTOM	PSORA	SYCOSIS	SYPHILIS
CRAVINGS AND HUNGER	ALWAYS HUNGRY. CRAVES SWEETS, ACIDS, SOUR FOODS. CRAVING FOR INDIGESTIBLE THINGS AND AVERSION TO SWEETS DURING FEVER. PREFERS HOT FOOD.	CRAVING FOR BEER PREFERS EITHER COLD OR HOT	CRAVES CHALK, LIME, PENCILS, ACIDS AND SWEETS. PREFERS COLD FOOD.

COUGH



SYMPTOM	PSORA	SYCOSIS	SYPHILIS
COUGH AND EXPECTORATION.	DRY TEASING COUGH. SALTY OR SWEETISH EXPECTORATION.	BRONCHIAL COUGH LESS EXPECTORATION THOUGH THERE IS A LARGE ACCUMLATION.	BARKING COUGH. GREENISH YELLOW OFFENSIVE SALTY EXPECTORATION.

HEART SYMPTOMS



SYMPTOM	PSORA	SYCOSIS	SYPHILIS
HEART SYMPTOMS	SENSATION OF BAND IN THE HEART. ANXIETY AND FEAR OF DEATH. SYMPTOMS SEVERE BUT RISK LESS.	CHEST PAIN AND DYSPNOEA AGGRAVATED BY SLIGHT EXERCISE. DIE SUDDENLY WITHOUT ANY WARNING	OCCASSIONAL SLIGHT PAINS AND DYSPNEA BUT DIE SUDDENLY WITHOUT ANY WARNING.

SYMPTOM	PSORA	SYCOSIS	SYPHILIS
ABDOMINAL SYMPTOMS	SENSATION OF FULLNESS IMMEDIATELY AFTER EATING. ABDOMINAL PAINS SORE BRUISED AND PULSATING PAIN. AMELIORATED BY HEAT.	STITCHING PULSATING PAIN.	BURNING BURSING AND TEARING PAIN.

ABDOMINAL SYMPTOMS



SYMPTOM	PSORA	SYCOSIS	SYPHILIS
DIARROHEA	SPASMODIC, OFFENSIVE PAINLESS DIARROHEA. A/F OVEREATING.	STOOLS SOUR, GRASS GREEN IN COLOUR WITH ABDOMINAL COLIC.	SLIMY, BLOODY WITH OFFENSIVE SMELL.
CONSTIPATION	PASSES SMALL HARD DIFFICULT STOOLS ALTERNATION OF CONSTIPATION AND DIARROHEA PRESENT.	CONSTIPATION WITH STITCHING AND PULSATING PAIN.	PROLONGED CONSTIPATION ASSOCIATED WITH HEADACHE.

URINARY SYMPTOMS



SYMPTOM	PSORA	SYCOSIS	SYPHILIS
URINARY SYMPTOMS	INVOLUNTARY URINATION WHILE COUGHING, SNEEZING AND LAUGHING. SMARTING AND BURNING ON URINATION.	INTENSE PAIN ON URINATION	NOCTURNAL ENURESIS

FEMALE COMPLAINTS



SYMPTOM	PSORA	SYCOSIS	SYPHILIS
FEMALE COMPLAINTS	ONLY FUNCTIONAL ABNORMALITIES – AMENORRHOEA AND DYSMENORRHOEA WITHOUT ANY PATHOLOGICAL CAUSE.	ALL INFLAMMATORY DISEASES INVOLVING THE PELVIC ORGANS.	CERVICAL AND VULVAL EROSION WITH ULCERATION.

ULCERS



PSORA



SYCOSIS



SYPHILLIS



SYMPTOM	PSORA	SYCOSIS	SYPHILIS
ULCERS	ITCH APPEARS. LOOKS DIRTY AND UNWASHED.	INFILTRATES AND IS CORRODED BY ITS DISCHARGES .	ULCERATES AND THE BONY STRUCTURE IS CHANGED.

BOILS



PSORA



SYCOSIS



SYPHILLIS



SYMPTOM	PSORA	SYCOSIS	SYPHILIS
BOILS	<p>SIMPLE BOILS</p> <p>SEVERE ITCHING IS ALWAYS ASSOCIATES</p>	<p>BOILS WITH EXCESSIVE PUS</p> <p>THERE IS SORENESS WITH CRUST FORMATION.</p>	<p>BOILS WITH INCREASED TENDENCY TO BLEED</p> <p>THERE IS SHEDDING OF THE SCALES AND CRUSTS WITH INNER RAW SURFACE.</p>

Looking Miasms In The Face

