

1. Feed in by NGT

- A. need first aid management
- B. Cardiopulmonary resuscitation
- C. To prevent micro organisms
- D. Airway breathing and circulation
- E. Use the screen
- F. Direct apply pressure
- G. 120/80mmhg
- H. Use sand bag elevated
- I. Before and after the procedure
- J. To manage fracture case
- K. Inner to outer
- L. Outer to inner
- M. Wash the stomach
- N. Blockage of air way by foreign body
- O. Gavages**
- P. Hydrocortisone ointment
- Q. Amoxicillin capsule
- R. Asses the patent condition

2. A 40 years old female patient comes to hospital with sever bleeding on the left hand which management is first

- a. ☐ Suture
- b. ☐ Monitor V/S
- c. ☐ Administer Medication
- d. ☐ To Minimize Bleeding**

3. Amputation care needed

- A. need first aid management
- B. Cardiopulmonary resuscitation
- C. To prevent micro organisms
- D. Airway breathing and circulation
- E. Use the screen
- F. Direct apply pressure
- G. 120/80mmhg
- H. Use sand bag elevated**
- I. Before and after the procedure
- J. To manage fracture case
- K. Inner to outer
- L. Outer to inner
- M. Wash the stomach

- N. Blockage of air way by foreign body
- O. Gavages
- P. Hydrocortisone ointment
- Q. Amoxicillin capsule
- R. Asses the patent condition

4. what is the correct way of insertion nasal gastric tube (NGT)?

- a. ☒ **Measure From The Nose To Ear Lobe And Sternum**
- b. ☐ Measure From The Ear Lobe To Sternum
- c. ☐ Measure From The Sternum To Nose
- d. ☐ Measure From Ear Lob To Nose And Then To Sternum

5. If you found highly contaminated bloody soaked gauze and body fluid product as assistance nurse where it segregate

- a. ☐ on Blue color basket
- b. ☐ on Red color basket
- c. ☒ **On Yellow color basket**
- d. ☐ on black color basket
- e. ☐

6. Topical medication

- A. need first aid management
- B. Cardiopulmonary resuscitation
- C. To prevent micro organisms
- D. Airway breathing and circulation
- E. Use the screen
- F. Direct apply pressure
- G. 120/80mmhg
- H. Use sand bag elevated
- I. Before and after the procedure
- J. To manage fracture case
- K. Inner to outer
- L. Outer to inner
- M. Wash the stomach
- N. Blockage of air way by foreign body
- O. Gavages
- P. Hydrocortisone ointment**

- Q. Amoxicillin capsule
 - R. Asses the patent condition
-

7. Amputation care needed

- A. need first aid management
 - B. Cardiopulmonary resuscitation
 - C. To prevent micro organisms
 - D. Airway breathing and circulation
 - E. Use the screen
 - F. Direct apply pressure
 - G. 120/80mmhg
 - H. Use sand bag elevated**
 - I. Before and after the procedure
 - J. To manage fracture case
 - K. Inner to outer
 - L. Outer to inner
 - M. Wash the stomach
 - N. Blockage of air way by foreign body
 - O. Gavages
 - P. Hydrocortisone ointment
 - Q. Amoxicillin capsule
 - R. Asses the patent condition
-

8. A set of decision about how to do something in the future with limitation of time and goal is

- a. ☐ Mission
- b. ☐ Objective
- c. ☐ **Planning**
- d. ☐ Vision

9. the first step of emergency

- A. need first aid management
- B. Cardiopulmonary resuscitation
- C. To prevent micro organisms
- D. Airway breathing and circulation**
- E. Use the screen
- F. Direct apply pressure
- G. 120/80mmhg
- H. Use sand bag elevated
- I. Before and after the procedure

- J. To manage fracture case
 - K. Inner to outer
 - L. Outer to inner
 - M. Wash the stomach
 - N. Blockage of air way by foreign body
 - O. Gavages
 - P. Hydrocortisone ointment
 - Q. Amoxicillin capsule
 - R. Asses the patent condition
-

10. Mr “X” comes to your health institution with profuse bleeding and unconscious but the pulse is full and strong .the nurse assistance expected to do first

- a. ☐ Try to communicate with client
- b. ☐ **Gentility to control the bleeding**
- c. ☐ Collect the watch and jewelry appropriately
- d. ☐ Collect laboratory sample to know hematocrit

11. control of bleeding

- A. need first aid management
 - B. Cardiopulmonary resuscitation
 - C. To prevent micro organisms
 - D. Airway breathing and circulation
 - E. Use the screen
 - F. Direct apply pressure**
 - G. 120/80mmhg
 - H. Use sand bag elevated
 - I. Before and after the procedure
 - J. To manage fracture case
 - K. Inner to outer
 - L. Outer to inner
 - M. Wash the stomach
 - N. Blockage of air way by foreign body
 - O. Gavages
 - P. Hydrocortisone ointment
 - Q. Amoxicillin capsule
 - R. Asses the patent condition
-

12. which of the following are not five rights of medication

- a. ☐ Right of route
- b. ☐ Right of patient

- c. ☐ Right of medication
 - d. ☐ **Right of attendant**
-

13. ABC rule

- A. need first aid management**
 - B. Cardiopulmonary resuscitation
 - C. To prevent micro organisms
 - D. Airway breathing and circulation
 - E. Use the screen
 - F. Direct apply pressure
 - G. 120/80mmhg
 - H. Use sand bag elevated
 - I. Before and after the procedure
 - J. To manage fracture case
 - K. Inner to outer
 - L. Outer to inner
 - M. Wash the stomach
 - N. Blockage of air way by foreign body
 - O. Gavages
 - P. Hydrocortisone ointment
 - Q. Amoxicillin capsule
 - R. Asses the patent condition
-

14. Sterile means

- a. ☐ Clean from any microorganism
- b. ☐ Remove some micro organism
- c. ☐ Clean the bacterial infection only
- d. ☐ **Free from any micro organism**

15. Wash hands

- A. need first aid management
- B. Cardiopulmonary resuscitation
- C. To prevent micro organisms
- D. Airway breathing and circulation
- E. Use the screen
- F. Direct apply pressure
- G. 120/80mmhg
- H. Use sand bag elevated
- I. Before and after the procedure**
- J. To manage fracture case

- K. Inner to outer
 - L. Outer to inner
 - M. Wash the stomach
 - N. Blockage of air way by foreign body
 - O. Gavages
 - P. Hydrocortisone ointment
 - Q. Amoxicillin capsule
 - R. Asses the patent condition
-

16. Ato kerbed come to our hospital with shortness of breathing the nurse assistance should be don ?

- a. ☐ Monitor Vital Sign
- b. ☐ Perform CPR
- c. ☐ **Administer Oxygen**
- d. ☐ Elevate the Bed

17. use of immobilization

- A. need first aid management
- B. Cardiopulmonary resuscitation
- C. To prevent micro organisms
- D. Airway breathing and circulation
- E. Use the screen
- F. Direct apply pressure
- G. 120/80mmhg
- H. Use sand bag elevated
- I. Before and after the procedure
- J. To manage fracture case**
- K. Inner to outer
- L. Outer to inner
- M. Wash the stomach
- N. Blockage of air way by foreign body
- O. Gavages
- P. Hydrocortisone ointment
- Q. Amoxicillin capsule
- R. Asses the patent condition

18. Ato yellow 60 years old male patient comes to your hospital with known CHF(congest heart failure) patient . What types of bed prepare for him

- a. ☐ **Cardiac bed making**
- b. ☐ Open bed making

- c. ☐ Fracture bed making
- d. ☐ Occupied bed making

19. If the client is ingested the cents/coins then aspirate. the first aid management is

- a. ☐ check and remove the foreign body
- b. ☐ Operation
- c. ☐ Ask to the client what it ingest
- d. ☐ **Refer to the higher institution without any helps**
Operation

20. Which of the flowing exact and accurate site of measuring temperature

- a. ☐ auxiliary
- b. ☐ Oral
- c. ☐ **rectal**
- d. ☐ tympanic

21. One is safety measure during transportation of patient by stretcher from emergency OPD to the ward?

- a. ☐ **Lock stretcher**
- b. ☐ Place the stretcher in the 45o
- c. ☐ The patient stay in the stretchers without applying the belt
- d. ☐ Transport the patient by your self
- e. ☐

22. chocking

- A. need first aid management
- B. Cardiopulmonary resuscitation
- C. To prevent micro organisms
- D. Airway breathing and circulation
- E. Use the screen
- F. Direct apply pressure
- G. 120/80mmhg
- H. Use sand bag elevated
- I. Before and after the procedure

- J. To manage fracture case
- K. Inner to outer
- L. Outer to inner
- M. Wash the stomach
- N. Blockage of air way by foreign body**
- O. Gavages
- P. Hydrocortisone ointment
- Q. Amoxicillin capsule
- R. Asses the patent condition

23. when in your health institution a child comes with objective sign of flaring the nose and the nurse assistance counts 54 breath/minute(b/min) so the child is on:

- a. ☐ The Child Is Brady Cardiac Situation
- b. ☐ The Child Is Tachypeanic Situation**
- c. ☐ The Child Is Bradypneanic Situation
- d. ☐ The Child Is Tachy Cardiac Situation
- e. ☐

24. In health institution how to arrange the equipment to get simply

- a. ☐ Ask the delegated coordinator
- b. ☐ Label the equipment site follow the kaizen principle**
- c. ☐ Put an equipment at any where no matter
- d. ☐ Ask to your coordinator where it found
- e. ☐

25. During transferring sterile equipment, the nurse considered

- a. ☐ Use transferring forceps / pick up forceps**
- b. ☐ Touch inside of the dram with hand
- c. ☐ Use clean gloves
- d. ☐ Cross the sterile fields.

26. Mr” x “ get flew sulpheric acid on his left hand .what type of fluid to use to clean the area

- a. ☐ ringer lactate
- b. ☐ normal saline
- c. ☐ **5% dextrose with water(D/w)**
- d. ☐ 5 % dextrose with normal saline(DNS)

27. a child with burn come to the clinic with anatomical burn involvement of the entire epidermis and dermis then the burn appeared red, moist ,with blister it is extremely pain full and very edematous the degree of burn is said to be;

- a. ☐ Minor Degree Burn
- b. ☐ **2nd degree Burn**
- c. ☐ 1st Degree Burn
- d. ☐ 3rd degree Burn

28. To accomplish on plan target it could be

- a. ☐ **it could specific measurable attainable reliable and time bounded**
- b. ☐ order to you by director
- c. ☐ not concerned to community
- d. ☐ may not concerned to institution

29. Septic wound

- A. need first aid management
- B. Cardiopulmonary resuscitation
- C. To prevent micro organisms
- D. Airway breathing and circulation
- E. Use the screen
- F. Direct apply pressure
- G. 120/80mmhg
- H. Use sand bag elevated
- I. Before and after the procedure
- J. To manage fracture case
- K. Inner to outer
- L. Outer to inner**
- M. Wash the stomach
- N. Blockage of air way by foreign body
- O. Gavages
- P. Hydrocortisone ointment

- Q. Amoxicillin capsule
- R. Asses the patent condition

30. Average of blood pressure in adult

- A. need first aid management
- B. Cardiopulmonary resuscitation
- C. To prevent micro organisms
- D. Airway breathing and circulation
- E. Use the screen
- F. Direct apply pressure
- G. 120/80mmhg**
- H. Use sand bag elevated
- I. Before and after the procedure
- J. To manage fracture case
- K. Inner to outer
- L. Outer to inner
- M. Wash the stomach
- N. Blockage of air way by foreign body
- O. Gavages
- P. Hydrocortisone ointment
- Q. Amoxicillin capsule
- R. Asses the patent condition

31. keep privacy

- A. need first aid management
- B. Cardiopulmonary resuscitation
- C. To prevent micro organisms
- D. Airway breathing and circulation
- E. Use the screen**
- F. Direct apply pressure
- G. 120/80mmhg
- H. Use sand bag elevated
- I. Before and after the procedure
- J. To manage fracture case
- K. Inner to outer
- L. Outer to inner
- M. Wash the stomach
- N. Blockage of air way by foreign body
- O. Gavages

- P. Hydrocortisone ointment
- Q. Amoxicillin capsule
- R. Asses the patent condition

32. Feed in by NGT

- A. need first aid management
- B. Cardiopulmonary resuscitation
- C. To prevent micro organisms
- D. Airway breathing and circulation
- E. Use the screen
- F. Direct apply pressure
- G. 120/80mmhg
- H. Use sand bag elevated
- I. Before and after the procedure
- J. To manage fracture case
- K. Inner to outer
- L. Outer to inner
- M. Wash the stomach
- N. Blockage of air way by foreign body
- O. Gavages**
- P. Hydrocortisone ointment
- Q. Amoxicillin capsule
- R. Asses the patent condition