KOLFE GENERAL SECONDARY SCHOOL

2016 E.C Agriculture final exam for grade 12 students second Semester.

I. Write true if the statement correct & false other ways.

1. Food and agriculture organization recognizes 5 breeds of camel in Ethiopia.

2. Gebsima and kei are among the local Chicken breeds.

3. Kerosene brooder is natural brooder type.

4. Trees are the only feed type for camel.

5. Camels are highly resistant to disease.

6. Camel milk is highly used in centered & western Ethiopia.

II. Match words under column A with their expressions under column B.

A	**B**
7. Bovans Brown	A. time where young chicken require care
8. White Leghorn	B. suitable for tropical climate
9. Broiler	C. suitable for temperature ranges from 15C^{o}-30C^{o}
10. Open houses	D. have to sides open design
11. Open front house	E. important for efficient meat production
12. High raised house	F. known for laying lots of white egg
13. Brooding	G. are perfect breed form alternative production

III. For each of the following questions choose the correct answer

14. Which of the following is used as feed resource for camel?

A. Trees B. Herbs C. Bushes D. grass E. All of the above.

15. Which of the following is high content of camel milk?

A. Vit. C B. Vit A C. Vit. C D. vit. B

16. Which country pairs are camel meat exporters?

A. sudan & somalia B. Egypt & sudan C somalia D. Sudan

17. Which of the following is bacterial disease that infect camel?

A .camel Pox B. Anthrax C. Ticks D. Myiasis

18. One of the following is used to protect camel from predator.

A. Body size B. growth rate C. Libido D. stilted house

19. Which criteria is used for camel selection?

A. body size B. growth rate C. libido D. all

20. One of the following is not optional food for camel.

A. herbs B. Bushes C. grasses D. cereals.

21. Which of the following chicken breed is egg type?

A. synthetic B. Leghorn C. Bantam D. Rhode island red

22. One of the following is characteristics of indigenous chicken.

A. slow growth B. late maturity C. low performance D all.

23. Which of the following is used as main feed resource for chicken?

A. cabbage B. grass C. cereal debris D. Vegetables

24. How many weeks are needed for hatching young chicken?

A. One B. three C. Four D. six

25. Which brooding type is preferable for quality meet?

A. natural B. artificial C. both D. none

26. The ratio of number of birds to the number of egg gathered

A. laying percentage B. laying ratio C. egg number D. all

27. Which of the following is not laying house equipment?

A. laying nest B. Perches C. Feeders D. open front house.

IV. Give short Answer

28. List types of Chicken based on Utility?

29. List at least three camel breeds?

30. List Poultry diseases?

31. Explain Poultry selection with criteria used while selection.

32 List at least three disease of camel.

Name: _____ Grade: 12 Section: _____ No. _____

I. True/ false

1._____
2._____
3._____
4._____
5._____
6. _____

II. Matching

7._____
8._____
9._____
10._____
11._____
12._____

III. Choice

14._____ 20._____ 26._____
15._____ 21._____ 27._____
16._____ 22._____
17._____ 23._____
18._____ 24._____
19._____ 25._____

Give short answer

28.

29.

30.

31.

32.