

Agrilearner App Team

Agriculture Important MCQ By Agrilearner App Team

**This MCQ PDF is Important For
IBPS AFO, NABARD and Other
Agriculture Related Competitive
exam**



- | |
|---|
| • <u>Agriculture Schemes=>Click to Read</u> |
| • <u>Agri Exam Important 10000 Agriculture Mcq=>Click to Read</u> |
| • <u>Agriculture Current Affairs =>Click to Read</u> |
| • <u>PDF Available To Download =>Click to Download</u> |
| • <u>IBPS SO Agricultural Officer previous year solved papers (6 years)=>Click to Download</u> |
| • <u>IBPS AFO 2019-2020 Question paper with solution=>Click to Read</u> |
| • <u>IBPS AFO exam pattern Pdf Download=>Click to Download</u> |

Join IBPS AFO Preparation Course For Mains & Interview By
Agrilearner { agriguru.in }

Weekly Full-Length Mock-test On The Pattern Of IBPS AFO

Monthly Agriculture Current Affairs in Detail & MCQ With Explanation

Subject Wise Notes in Very Short And Concise Way

All Agriculture Subject Is Divided Into Modules In Course & All Modules Are Arranged In On The Basis Of Their Importance

Important Downloadable Notes Are Provided + Summery Sheet Before Exam For Quick Revision

Whole Course Is Designed By Observation Of 10 Year Previous Paper & And Syllabus Of IBPS AFO

**Full Guideline By The Scholars {Pre Qualified Students}
For The Preparation Of Pre , Mains & Interview**

Chat Support For Any Doubt Clearance Related To Subjects By Experts.

Every Module Have Video Explanation Of That Topic

Price Is Very Much Low That Every Student Who Wants To Become AFO Can Enrol In This Course Normal Price Rs 2500 With **Coupon Code “agrilearner” It Will Cost Rs 1899 Only**

CLICK TO CHECK COURSE



1. **Origin of wheat is**
South west Asia
2. **Flowering portion of wheat is called**
Spike or ear
3. **Emmer wheat is known as**
Triticum diccocom
4. **Macaroni wheat is known as**
Triticum durum
5. **Suitable late sown variety of wheat**
Lok-1, Raj -3765 ,sonalika
6. **Spacing of row to row in wheat**
22.5cm
7. **Most critical stage of irrigation**
CRI (21 DAS)
8. **Gene responsible for dwarfness in wheat is**
Norin-10
9. **Important mimicry weed of wheat is**
Phalaris minor
10. **Test weight of wheat seed**
40g
11. **Test weight of phalaris minor is**
2g
12. **Drift hazard in to adjoining pulse crop is**
due to spray of

2,4 -D

13. Triple gene dwarf varieties of wheat

Heera , Moti , Arjun

14. Central zig zag axis of wheat spikelet is called

Rachis

15. Fruit type of wheat

Caryopsis

16. First man made cereals

Triticale

17. Triticale is cross of

Wheat × Rye

18. DT-46 is a variety of

Triticale

19. Temperature for germination of wheat seed

20-25°C

20. Protein content in wheat

8-11%

21. Most of the present days Indian wheat varieties contain the gene

Rht 1 & Rht 2


22. The wheat protein which is essential for good bread quality and chapatti making is
Gluten
23. For safe storage moisture content of grain
10-12%
24. *Triticum aestivum* was first introduced in India by
NE Borlaug of Mexico
25. Moisture content at harvesting stage in wheat is
25-30 %
26. The state which has highest production and cultivation area of wheat
UP
27. Export quality of wheat is influenced by
Karnal bunt
28. Dwarfing agent for wheat crop is
Cycocel
29. Objectionable weed of wheat is
Convolvulus arvensis
30. Variety of wheat susceptible to 2,4 - D where spike deformity occurs
HD- 2009

31. Primary roots in wheat that support and nourish the plant at initial stage is called *Seminal roots*
32. In wheat hybridization method most common use *goojo method*
33. Absolute weed of wheat is *Chenopodium album*
34. Recommended ratio of wheat + mustard intercropping is *9:1*
35. Biofertilizer for wheat is *Azotobacter*
36. Multilines in wheat are produced by *Back cross breeding*
37. Origin of maize *Central America*
38. Maize is a *Non tiller plant*
39. Maize is usually a *Cross pollinated crop*
40. In maize yellow colour due to presence of

Cryptoxanthin

41. Maize is particularly sensitive to
Water logging
42. Water requirement for maize is about
500-800 mm
43. Maize is *monoecious* plant having two
different type of
Inflorescence
44. Top cross varieties
Ganga -2 and Hi starch
45. Rabi maize is extensively grown in
Bihar .
46. Protein content of maize
10 %
47. On maize plant 1st appearances is
Tassels (maize flower)
48. 1st hybrid of sorghum
CSH -1
49. Jowar is native of
Africa
50. Seed rate of jowar
10 -12kg /ha

Support Agrilearner App On Social Sites



- [Agriculture Schemes=>Click to Read](#)
- [Agri Exam Important 10000 Agriculture Mcq=>Click to Read](#)
- [Agriculture Current Affairs =>Click to Read](#)
- [PDF Available To Download =>Click to Download](#)
- [IBPS SO Agricultural Officer previous year solved papers \(6 years\)=>Click to Download](#)
- [IBPS AFO 2019-2020 Question paper with solution=>Click to Read](#)
- [IBPS AFO exam pattern Pdf Download=>Click to Download](#)

agrilearner App Team Whatsapp Group 6201733962