





Sql lab 3

basic sql statements



DBMS Lab Outline part 3

basic sql statements

- SQL Distinct
- SQL where
- Sql and & or operators
- Sql order by
- Sql update
- Sql delete



EXERCISE 1

- Create a database hr
- Create a table customer inside hr and insert the following


ID	NAME	AGE	ADDRESS	SALARY
1	Ramesh	32	Ahmedabad	2000.00
2	Khilan	25	Delhi	1500.00
3	kaushik	23	Kota	2000.00
4	Chaitali	25	Mumbai	6500.00
5	Hardik	27	Bhopal	8500.00
6	Komal	22	MP	4500.00
7	Muffy	24	Indore	10000.00



SQL Distinct


- In a table, some of the columns may contain duplicate values. This is not a problem, however, sometimes you will want to list only the different (distinct) values in a table.
- The DISTINCT keyword can be used to return only distinct (different) values.

```
SELECT DISTINCT  
column_name(s)  
FROM table_name
```



Exercise 1

- Select the distinct age from customers table.
- Select only the salary of the customers without duplication and make the column name total?



SQL where

- The WHERE clause is used to filter records.
- The WHERE clause is used to extract only those records that **fulfill a specified criterion.**

```
SELECT column_name(s)  
FROM table_name  
WHERE column_name operator  
value
```



SQL where

- With the WHERE clause, the following operators can be used:

Operator	Description
=	Equal
≠	Not equal
>	Greater than
<	Less than
>=	Greater than or equal
<=	Less than or equal



Exercise 2

- Select name and age of customers with salary greater than 8000.
- Select the age , id and salary of a customer by the name **Hardik**.
- Select all customers that are aged greater than or equal to 25.




SQL AND & OR Operators

- The AND & OR operators are used to filter records based on more than one condition
- The AND operator displays a record if both the first condition and the second condition is true.
- The OR operator displays a record if either the first condition or the second condition is true.

```
SELECT * FROM  
Persons  
WHERE  
FirstName='Tove'  
AND  
LastName='Svends  
on'
```

```
SELECT * FROM  
Persons  
WHERE  
FirstName='Tove'  
OR FirstName='Ola'
```



Exercise 3

- Select all customers with name equal to komal and age is greater than or equal to 22.
- Select all customers whose salary is greater than 4000 or lives in kota.



SQL ORDER BY

- The ORDER BY keyword is used to sort the result-set.
- The ORDER BY keyword is used to sort the result-set by a specified column.
- The ORDER BY keyword sort the records in ascending order by default.
- If you want to sort the records in a descending order, you can use the DESC keyword.

```
SELECT *  
FROM  
Persons  
ORDER BY  
LastName  
DESC
```



Exercise 4

- Select address and salary of customers whose age is greater than 22 and order the result based on the customers salary from max to min.



The UPDATE Statement

- The UPDATE statement is used to update existing records in a table.
- The WHERE clause specifies which record or records that should be updated. If you omit the WHERE clause, all records will be updated!

```
UPDATE Persons  
SET  
Address='Nissestie  
n 67',  
City='Sandnes'  
WHERE  
LastName='Tjesse  
m' AND  
FirstName='Jakob'
```



Exercise 5

- Update the address of customers to gulele where age is greater than 30.
- Update the salary and age of komal to 3400 and 28.



SQL DELETE Query

- The SQL DELETE Query is used to delete the existing records from a table.
- You can use WHERE clause with DELETE query to delete selected rows, otherwise all the records would be deleted.
- Syntax:
- The basic syntax of DELETE query with WHERE clause is as follows:-

```
DELETE FROM  
table_name  
WHERE  
[condition];
```



Exercise 6

- Delete all records related to a customer name komal.
- Delete all customer records who lives around Mumbai.

